L Number	Hits	Search Text	DB	Time stamp
1	2	6253324.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 08:33
2	2	6292897.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 08:34
3	19341277	@ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 10:41
4	37	@ad<20000707 and watermark same position same random	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 09:11
9	20	("4919545" | "5050212" | "5202923" | "5214700" | "5220603" | "5224160" | "5235642" | "5276444" | "5530757" | "5560008" | "5625693" | "5757915" | "5818936" | "5835727" | "5881151" | "5881152" | "5935249" | "5970145" | "5978484" | "6049877").PN.	USPAT	2004/06/08 10:08
10	0	6253324.URPN.	USPAT	2004/06/08 10:41
11	564	@ad<20000707 and client same integrity same server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 10:43
12	13	@ad<20000707 and client same integrity same server same hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 10:48
13	3	@ad<20000707 and client same integrity same server with request same hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 10:48
14	131	713/187.ccls. and @ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 10:52
15	45	4712239.URPN.	USPAT	2004/06/08 11:05
18	1	5822432.pn.	USPAT; US-PGPUB; IBM_TDB	2004/06/08 11:31
-	200	713/201.ccls. and @ad<20000707 and hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/05 11:42
-	135	713/201.ccls. and @ad<20000707 and hash and (seed random)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 14:28
-	22	(713/201.ccls. and @ad<20000707 and hash and (seed random)) and memory with (space range)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 14:25

-	19	(713/201.ccls. and @ad<20000707 and hash and (seed random)) and verify with integrity and hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:46
-	19302099	@ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 14:28
-	1347	@ad<20000707 and hash with memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 09:00
-	196	@ad<20000707 and hash with memory and ((random with value) seed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 14:43
-	111	@ad<20000707 and hash with memory and ((random with value) seed) and position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 14:52
-	18	@ad<20000707 and hash with memory and ((random with value) seed) and position with (message stream)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 11:43
-	291	@ad<20000707 and verify with memory with content	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:02
-	12	@ad<20000707 and verify with memory with ("not changed" unchanged corrupt)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 14:59
-	12	@ad<20000707 and verify with memory with ("not changed" unchanged unmodified corrupt)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:00
-	6638	set with top with box and @ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:40
-	75	(set with top with box and @ad<20000707) and prevent$3 with (tamper$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:24
-	44	((set with top with box and @ad<20000707) and prevent$3 with (tamper$3)) and hash$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:25
-	44	((set with top with box and @ad<20000707) and prevent$3 with (tamper$3)) and hash$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:26
-	137	713/194.ccls. and @ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 09:23

-	17	(713/194.ccls. and @ad<20000707) and hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:30
-	21	(713/194.ccls. and @ad<20000707) and hash$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:44
-	4	@ad<20000707 and hash with compare same determine with (change modification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 16:16
-	24	5919257.URPN.	USPAT	2004/01/14 15:56
-	24	5919257.URPN.	USPAT	2004/01/14 16:00
-	24	5919257.URPN.	USPAT	2004/01/14 16:10
-	24	5919257.URPN.	USPAT	2004/01/14 16:13
-	99	@ad<20000707 and message with position with (random seed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 16:20
-	125	713/187.ccls. and @ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 09:24
-	61	(713/187.ccls. and @ad<20000707) and hash$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 09:24
-	956	714/38.ccls. and @ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 09:24
-	48	(714/38.ccls. and @ad<20000707) and hash$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:35
-	8	@ad<20000707 and hash with memory and ((random with value) seed) same position same (message stream)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 11:47
-	744	@ad<20000707 and ((data with stream) message) same (random seed) same position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 11:47
-	245	@ad<20000707 and ((data with stream) message) same (random seed) with position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 11:48
-	2	@ad<20000707 and ((data with stream) message) same (random seed) with position and (memory program code software) with (integrity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 12:01
-	18	@ad<20000707 and ((data with stream) message) same (random seed) same position and (memory program code software) with (integrity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 12:07

-		19302101	@ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 12:47
-		99	@ad<20000707 and message with (random seed) with position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 12:52
-		36	(@ad<20000707 and message with (random seed) with position) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 12:51
-		1364	@ad<20000707 and (transfer$2 receive$2 transmit$4 send) with (random seed) with position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 13:00
-		252	(@ad<20000707 and (transfer$2 receive$2 transmit$4 send) with (random seed) with position) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 13:01
-		226	(@ad<20000707 and (transfer$2 receive$2 transmit$4 send) with (random seed) with position) and (client remote)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 13:02
-		5	(@ad<20000707 and (transfer$2 receive$2 transmit$4 send) with (random seed) with position) and hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 13:04
-		65	@ad<20000707 and memory same integrity and hash same (random seed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 13:16
-		37	@ad<20000707 and memory same integrity and hash same ((random with (number value)) seed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 13:26
-		1	@ad<20000707 and return with hash with (random with number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 13:28
-		27	@ad<20000707 and return$2 with hash$3 same (random with number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 13:31
-		33	@ad<20000707 and return$2 with hash$3 same ((random with number) seed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 13:39
-		96	@ad<20000707 and (transmit$5 send$2 sent deliver$3) with hash$3 same ((random with number) seed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 13:52
-		0	@ad<20000707 and (transmit$5 send$2 sent deliver$3) with hash$3 same ((random with number) seed) with position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 13:53

-	19302531	@ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 11:30
-	194	713/171.ccls. and @ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 11:32
-	147	713/165.ccls. and @ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 11:34
-	85	(713/171.ccls. and @ad<20000707) and hash$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 11:34
-	74	((713/171.ccls. and @ad<20000707) and hash$3) and (random)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 11:35
-	50	(((713/171.ccls. and @ad<20000707) and hash$3) and (random)) and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 11:39
-	49	(((713/171.ccls. and @ad<20000707) and hash$3) and (random)) and memory and (random not with memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 11:39
-	38	(713/165.ccls. and @ad<20000707) and hash$3 and random	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 12:34
-	13670	(file data software) with integrity and @ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 12:29
-	180	((file data software) with integrity and @ad<20000707) and hash same random	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 12:29
-	23	((file data software) with integrity and @ad<20000707) and hash same random same position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 12:31
-	187	@ad<20000707 and hash same (random key) same position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 12:34
-	66	@ad<20000707 and memory same integrity and hash same (random seed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 12:35
-	49	@ad<20000707 and hash same random same position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 12:35

-	121	(@ad<20000707 and hash same (random key) same position) and (transmit$5 deliver$5 send)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 12:38
-	33	((@ad<20000707 and hash same (random key) same position) and (transmit$5 deliver$5 send)) and ((file data software) with integrity and @ad<20000707)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 12:39
-	612	@ad<20000707 and (message with (random key)) same hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 12:42
-	176	(@ad<20000707 and (message with (random key)) same hash) and ((file data software) with integrity and @ad<20000707)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 12:42
-	163	((@ad<20000707 and (message with (random key)) same hash) and ((file data software) with integrity and @ad<20000707)) and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 12:42
-	74	(((@ad<20000707 and (message with (random key)) same hash) and ((file data software) with integrity and @ad<20000707)) and computer) and hash with compar$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 12:48
-	162	380/262.ccls. and @ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 16:06
-	17	(380/262.ccls. and @ad<20000707) and hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 12:57
-	141	@ad<20000707 and message same position adj (byte field)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 12:59
-	8	@ad<20000707 and message same position adj (byte field) with (random key seed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 13:00
-	27	@ad<20000707 and message same position near2 (byte field) with (random key seed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 13:13
-	1271	@ad<20000707 and scientific adj atlanta	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 13:18
-	528	380/46.ccls. and @ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 13:27
-	52	(380/46.ccls. and @ad<20000707) and hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 13:26

-	2	(380/46.ccls. and @ad<20000707) and hash and 713/200,201.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 13:26
-	108	380/46.ccls. and @ad<20000707 and 713/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 13:59
-	8	@ad<20000707 and local same remote same verif$5 and hash same (seed random)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:06
-	29	@ad<20000707 and remote same verif$5 and hash same (seed random)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:10
-	8403	@ad<20000707 and hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 15:30
-	19312718	@ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 15:30
-	2	(@ad<20000707 and hash) and hidden with message with position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 15:38
-	1	"5748783".PN.	USPAT	2004/02/16 15:36
-	4	("5659726" | "5689587" | "5721788" | "5748783").PN.	USPAT	2004/02/16 15:36
-	0	(@ad<20000707 and hash) and locat$3 with value with message with position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 15:44
-	46	(@ad<20000707 and hash) and locat$3 with value with message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 15:39
-	43	((@ad<20000707 and hash) and locat$3 with value with message) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 15:39
-	0	(@ad<20000707 and hash) and locat$3 with value with message with random	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 15:43
-	98	@ad<20000707 and message with position with random	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 15:47
-	1033	@ad<20000707 and message with position with locat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 15:48

-	37	@ad<20000707 and locat$3 with value with message with position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 15:58
-	149	@ad<20000707 and 380/283.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 16:06
-	22	(@ad<20000707 and 380/283.ccls.) and message with (position locat$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 16:05
-	133	@ad<20000707 and 380/2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 16:08
-	103	380/262.ccls. and @ad<20000707 and message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 16:06
-	119	(@ad<20000707 and 380/283.ccls.) and message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 16:07
-	65	@ad<20000707 and 380/228.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 16:08
—	66	(@ad<20000707 and 380/2.ccls.) and message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 11:10
—	19313255	@ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:40
—	572	@ad<20000707 and (deliver$4 transmit$5 send) with random with position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 14:12
—	27	(@ad<20000707 and (deliver$4 transmit$5 send) with random with position) and integrity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 15:06
—	39638	@ad<20000707 and data adj stream	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 15:09
—	211	(@ad<20000707 and data adj stream) and random adj value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 15:09
—	0	(((@ad<20000707 and data adj stream) and random adj value) and locate$2 with stream with random	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 15:09

-	3	((@ad<20000707 and data adj stream) and random adj value) and position with stream with random	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 15:31
-	5495	@ad<20000707 and packet with position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 15:33
-	45	((set with top with box and @ad<20000707) and prevent$3 with (tamper$3)) and hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:18
-	0	(((set with top with box and @ad<20000707) and prevent$3 with (tamper$3)) and hash) and random adj value with hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:19
-	0	(((set with top with box and @ad<20000707) and prevent$3 with (tamper$3)) and hash) and random adj value same hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:19
-	11	(((set with top with box and @ad<20000707) and prevent$3 with (tamper$3)) and hash) and random adj value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:19
-	37	@ad<20000707 and hash near5 random near5 (program memory application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:35
-	9	@ad<20000707 and hash with random adj value and integrity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:28
-	26	5919257.URPN.	USPAT	2004/02/18 09:50
-	8	5919257.URPN. and hash	USPAT; US-PGPUB; IBM_TDB	2004/02/18 09:33
-	19313255	@ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:29
-	109	@ad<20000707 and hash same verif$7 and random adj value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:43
-	64	@ad<20000707 and hash same verif$7 and random adj value and (remote client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:46
-	37	@ad<20000707 and hash same verif$7 and random adj value and remote	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:46
-	19	("5196840" | "5202997" | "5204961" | "5210795" | "5287519" | "5313637" | "5341422" | "5349642" | "5355489" | "5426775" | "5444850" | "5448045" | "5465357" | "5608801" | "5701463" | "5701491" | "5710817" | "5740371" | "5828888").PN.	USPAT	2004/02/18 09:46

-	19	("5196840" | "5202997" | "5204961" | "5210795" | "5287519" | "5313637" | "5341422" | "5349642" | "5355489" | "5426775" | "5444850" | "5448045" | "5465357" | "5608801" | "5701463" | "5701491" | "5710817" | "5740371" | "5828888").PN.	USPAT	2004/02/18 09:49
-	1	6477648.pn.	USPAT	2004/02/18 09:49
-	503	@ad<20000707 and hash same random same number	USPAT	2004/02/18 09:53
-	10	@ad<20000707 and hash same random same number and server same compare same hash	USPAT	2004/02/18 09:56
-	112	(@ad<20000707 and hash same random same number) and program same hash	USPAT	2004/02/18 10:10
-	77	@ad<20000707 and remote same integrity same verification	USPAT	2004/02/18 10:16
-	15	@ad<20000707 and server same challenge same client and hash same random	USPAT	2004/02/18 10:20
-	6	@ad<20000707 and server same verif$7 same remote same hash	USPAT	2004/02/18 10:20
-	47	@ad<20000707 and hash same program same (intrusion integrity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:33
-	15	(714/38.ccls. and @ad<20000707) and hash$3 and server and client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:03
-	36	@ad<20000707 and return$2 with hash$3 same ((random with (number value)) seed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:39
-	26	@ad<20000707 and compare with hash with value same server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:39
-	55	(set with top with box and @ad<20000707) and prevent with (tamper$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:41
-	15	(713/194.ccls. and @ad<20000707 and hash and (seed random))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:59
-	14	@ad<20000707 and rainbow and hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 11:07
-	387	@ad<20000707 and hash near5 random	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 11:08
-	74	(@ad<20000707 and hash near5 random) and (data program application) near4 integrity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 11:14
-	72	((@ad<20000707 and hash near5 random) and (data program application) near4 integrity) and (client server network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 11:08

-	144	(@ad<20000707 and hash near5 random) and (data program application) near4 hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 11:24
-	224	@ad<20000707 and message and random with header	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 11:28
-	49	(@ad<20000707 and message and random with header) and hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 11:28
-	3	("5638446" | "5903651" | "5919257").PN.	USPAT	2004/02/18 12:57
-	2	6263431.URPN.	USPAT	2004/02/18 12:59
-	18	@ad<20000707 and client same (server with compare with hash)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:51
-	0	5371794.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:52
-	2	5371794.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:52
-	7	@ad<20000707 and choos$5 with hash with algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:59
-	2	5898784.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:02
-	36	@ad<20000707 and choos$5 near3 hash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:07
-	2	(@ad<20000707 and choos$5 near3 hash) and hash near5 algorithms!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:07
-	106	"5153919"	USPAT; US-PGPUB; IBM_TDB	2004/05/25 15:13
-	1	5153919.pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/25 15:14
-	2	"20020138554"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/05 11:44
-	222	5,003,591 5,195,130 5,572,572	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/05 11:45

-	153	5,003,591.pn. 5,195,130 5,572,572	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/05 11:45
-	5	5,003,591.pn. 5,195,130.pn. 5,572,572.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/05 11:45